

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S52	1	("5844614").PN.	USPAT; EPO	OR	OFF	2006/05/30 12:22
S53	8892	(true or real or genuine) near4 (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:24
S54	16985	(true or real or genuine or actual) near4 (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:25
S55	285	(true or real or genuine or actual) near4 (edge or contour) and (candidate with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:25
S56	87	(true or real or genuine or actual) near4 (edge or contour) and (candidate with (edge or contour)) and sharp\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:25
S57	56	(true or real or genuine or actual) near4 (edge or contour) and (candidate with (edge or contour)) and (sharp\$5 with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:31
S58	14	(true or real or genuine or actual) near4 (edge or contour) and (candidate with (edge or contour)) and (sharp\$5 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:35
S59	98	(true or real or genuine or actual) near4 (edge or contour) and (sharp\$5 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:35

## EAST Search History

S60	69	(true or real or genuine or actual) adj2 (edge or contour) and (sharp\$5 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:38
S61	9	(true or real or genuine or actual) adj2 (edge or contour) and (sharpening with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:38
S62	20	(true or real or genuine or actual) adj2 (edge or contour) and (sharpen\$4 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:53
S63	21	(true or real or genuine or actual or candidate) adj2 (edge or contour) and (sharpen\$4 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:54
S64	31	(true or real or genuine or actual or candidate) adj2 (edge or contour or object) and (sharpen\$4 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:56
S65	21	(true or real or genuine or actual or candidate) adj2 (edge or contour ) and (sharpen\$4 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 12:57
S66	42	(true or real or genuine or actual or candidate) with (edge or contour ) and (sharpen\$4 with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:01
S67	247	(true or real or genuine or actual or candidate) with (edge or contour ) and ((sharpen\$4 or enhanc\$5) with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:02

## EAST Search History

S68	1	(true or real or genuine or actual ) with (edge or contour ) with candidate and ((sharpen\$4 or enhanc\$5) with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:02
S69	25	(true or real or genuine or actual ) with (edge or contour ) and (candidate with (edge or contour)) and ((sharpen\$4 or enhanc\$5) with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:03
S70	13	(true or real or genuine or actual ) near4 (edge or contour ) and (candidate with (edge or contour)) and ((sharpen\$4 or enhanc\$5) with (edge or contour)) and (difference with threshold\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:39
S71	108906	smooth\$4 with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:39
S72	14	smooth\$4 with (edge or contour) with (difference with edge with increas\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:41
S73	5	sharpen\$4 with (edge or contour) with (difference with edge with increas\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:41
S74	2	("5844614").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 07:59
S75	1149	382/266-269.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:02

## EAST Search History

S76	158	382/266-269.ccls. and sharpen\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:02
S77	11	382/266-269.ccls. and sharpen\$4 and (true with (edge ir contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:02
S78	11	382/266-269.ccls. and sharpen\$4 and (true with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:05
S79	17	382/266-269.ccls. and sharpen\$4 and ((true or real) with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:11
S80	21349	decod\$4 with filter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:09
S81	20	382/266-269.ccls. and sharpen\$4 and ((true or real or false) with (edge or contour))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:31
S82	1	("5850294").PN.	USPAT; EPO	OR	OFF	2006/05/31 08:18
S83	840	sharpen\$4 with smooth\$4 with (edge or contour)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:32
S84	109	sharpen\$4 with smooth\$4 with (edge or contour) and threshold\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:33

## EAST Search History

S85	100	sharpen\$4 with smooth\$4 with (edge or contour) and "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:43
S86	53522	sharpen\$4 with smooth\$4 with (edge or contour) and (intensity with (lower or higher or darker or brighter)) "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:43
S87	7	sharpen\$4 with smooth\$4 with (edge or contour) and (intensity with (lower or higher or darker or brighter)) and "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:50
S88	1	sharpen\$4 with smooth\$4 with (edge or contour) and (intensity with (median)) and "382".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:55
S89	1	sharpen\$4 with smooth\$4 with (edge or contour) and (intensity with (median))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 08:55
S90	7	(increas\$4 or enlarg\$4) with difference with (edge or contour) with (sharpen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:05
S91	11	(increas\$4 or enlarg\$4) with slope with (edge or contour) with (sharpen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:05
S92	2240249	(encod\$4 or compress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:05

## EAST Search History

S93	372411	(encod\$4 or compress\$4) and filter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:06
S94	23536	(encod\$4 or compress\$4) and filter\$4 and ((detect\$4 or locat\$4)with (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:06
S95	863	(encod\$4 or compress\$4) and filter\$4 and ((detect\$4 or locat\$4)with (true or real or genuine or actual or false or fake) with (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:09
S96	59	(dencod\$4 or decompress\$4) and filter\$4 and ((detect\$4 or locat\$4)with (true or real or genuine or actual or false or fake) with (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:09
S97	496	(decod\$4 or decompress\$4) and filter\$4 and ((detect\$4 or locat\$4)with (true or real or genuine or actual or false or fake) with (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:10
S98	545	(decod\$4 or decompress\$4) and filter\$4 and ((detect\$4 or locat\$4)with (true or real or genuine or actual or false or fake or candidate) with (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:16
S99	64	(decod\$4 or decompress\$4) with filter\$4 and ((detect\$4 or locat\$4)with (true or real or genuine or actual or false or fake or candidate) with (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:17
S100	42	(decod\$4 or decompress\$4) with filter\$4 and ((detect\$4 or locat\$4)with (true or real or genuine or actual or false or fake or candidate) near5 (edge or contour))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 10:17